

# RADIATORS



# ALL THERM

ELEMENTS PAINTED WITH CATAPHORESIS DOUBLE LAYER  
THIRD WORLD WIDE INDUSTRIAL GROUP  
CE CONTROL CERTIFICATION

**10 YEARS GUARANTY**




# ALUMINIUM RADIATOR

## KAL Nu



RAL 9010



### DIMENSIONS Y THERMAL CHARACTERISTICS

MODEL	ISO 3147 - 3150 / CE EN-442							A	B	C	D	E	F	G	WATER CAPACITY	WEIGHT PER ELEMENT
	$\Delta T = 60^{\circ}C$		$\Delta T = 50^{\circ}C$		$\Delta T = 40^{\circ}C$		$\eta$									
	WATT	KCAL/H	WATT	KCAL/H	WATT	KCAL/H										
KAL NU							MM	MM	MM	MM	MM	MM	INCH	LITRO	KG	
350	116	99.8	91.7	78.9	69	59.3	1,323	429	350	97	80	25	120	1	0.35	1.0
500	153	132	120	103	90.2	77.5	1,335	579	500	97	80	25	120	1	0.46	1.3
600	179	154	141	121	105	90.3	1,348	679	600	97	80	25	120	1	0.51	1.6

Output in Watt/hr room temperature through tests according ISO 3147-3150.

Other Output  $Q = Q_u (\Delta t/60)^{\eta}$

Maximun Operating Pressure: 800 KPa - Surface Temperature: 120 °C maximum

Version: 08/2018





## ALL THERM (GIBRALTAR) LTD

### HEADQUARTERS :

World Trade Center  
6 Bayside Road 1st Floor - Unit 1.02  
GX1 1AA Gibraltar  
☎ (+350) 200 60207  
✉ info@allthermgroup.com

